



Industrial Freezer Sales

A division of IDS

5311 Derry Avenue Building D Agoura Hills CA 91301

Phone (818) 597-4300 Fax (818) 597-4301

www.freezerlink.com

BBR2G52 Blood Bank Refrigerator 4°C/ Two Glass Door 52 Cubic Ft. 115V, 60Hz

External Dimensions:

55"W x 34-7/8"D x 80-3/8"H

Internal Dimensions:

51"W x 30"D x 59"H

Voltage:

115V/1PH 60HZ Plug Type 5-15P

Shipping weight: 580 lbs.

52 cubic feet – 2 glass doors



Blood Bank Upright Refrigerator Standard Features:

- Meets **AABB, ANRC, and FDA** Requirements
- **Warranties:** 18 month parts and labor, **5 year compressor** (US and Canada)
18 months parts (International)
- **UL and C-UL listed; CE Mark, California Energy Commission**
- Microprocessor controller with LCD control panel with message center
- **Continuous** product temperature display (upper and lower)
- 4 x 20 character LCD display
- Temperature **chart recorder and chart paper**
- Factory preset at +4°C
- Air probe with **air temperature Hi/Lo alarms**
- **Hi/Lo product temperature alarms**, audible & visual
- 2 levels of user password protection (set points and parameters)
- 100 event alarm logging including **date/time stamp and product temperatures**, stored in non-volatile flash memory
- Door ajar alarm with adjustable time delay, **power failure alarm**, remote alarm contacts, Integrated Hi/Lo alarm **tests**
- Streamlined refrigeration design optimizes air flow and temperature uniformity, exterior front, sides and back, interior is painted white
- **8 solid pull out stainless steel drawers per door**
- Recessed interior light.
- Four **casters** (2 locking) on one and two door models, six casters (3 locking) on three door model.
- Full size glass doors with key lock, pull-door handle(s)
- Complete cabinet is foamed-in-place with **CFC Free high density polyurethane foam insulation**.

www.freezerlink.com



Industrial Freezer Sales

A division of IDS

5311 Derry Avenue Building D Agoura Hills CA 91301

Phone (818) 597-4300 Fax (818) 597-4301

www.freezerlink.com

BBR2G52 Blood Bank Refrigerator 4°C/ Two Glass Door 52 Cubic Ft. 115V, 60Hz

Blood Bank Refrigerator Uprights Options

- Shelf with clips.
- **RS485** computer interface.
- Field reversible hinge door (per door).
- Stainless steel exterior.
- Stainless steel interior.
- Wire basket drawer (maximum 6 per door).
- Sensor access port 1" diameter.
- *Export crating (if necessary).*



BBR2G52 Blood Bank Refrigerator 4°C/ Two Glass Door 52 Cu Ft 115V, 60Hz

Specifications:

Model	BBR1G24
Crated Height	82"
Crated Width	59"
Crated Depth	38"
Crated Weight	802 lbs.
Interior Height	59"
Interior Width	51"
Interior Depth	30"
Overall Height	80-3/8"
Overall Width	55"
Overall Depth	35-1/2"
Cubic Feet	52
450 ML Bag # Units*	832
Number of Drawers	16
Number of Casters	4
Condensing Unit Size	1/2 HP
Refrigerant	R134a
Maximum Fuse Size	15
Total Amp Draw	10.7
Total Amp Draw	4.2
Voltage Description	115V, 1PH, 60HZ
NEMA Plug	5-15P
NEMA Receptacle	5-15R



www.freezerlink.com



Industrial Freezer Sales

A division of IDS

5311 Derry Avenue Building D Agoura Hills CA 91301

Phone (818) 597-4300 Fax (818) 597-4301

www.freezerlink.com

BBR2G52 Blood Bank Refrigerator 4°C/ Two Glass Door 52 Cubic Ft. 115V, 60Hz

Dimensions:

