



## Industrial Freezer Sales

A division of IDS

5311 Derry Avenue Building D Agoura Hills CA 91301

Phone (818) 597-4300 Fax (818) 597-4301

[www.freezerlink.com](http://www.freezerlink.com)

### LTF1S22-40 Low Temp Freezer -40° C 22 Cubic Feet

LTF1S22-40 Low Temp Freezer -40° C 22 Cubic Feet

#### Standard Product Features:

- Digital LED Microprocessor temperature controller.
- **Hi/Lo audible and visual alarm and remote alarm contacts.**
- Adjustable temperature control range from -30° C to -40° C.
- **Preset at -40° C.**
- Continuous product temperature display, product sensor with glycerin bottle.
- Power supply switch
- Exterior cabinet front, sides and back are painted white.
- Exterior cabinet top and bottom are galvanized steel.
- Interior cabinet liner and interior door panel are painted white.
- Cabinet and solid door are **foamed-in-place.**
- **CFC Free high density polyurethane foam insulation.**
- Heavy duty door pivot hinges.
- **Centered key door lock** (2 keys).
- Full length door pull handle
- **Four casters (2 locking)**
- 3 epoxy coated wire shelves
- Perimeter anti-condensate door frame (temperature selectable) heater wires.
- Magnetic door gasket.
- Air cooled condensing unit.
- Top mounted forced air refrigeration system.
- Automatic defrost and condensate evaporation.
- **Warranties:** 18 month parts and labor, 5 year compressor (US and Canada) 18 months parts (International)
- **UL/C-UL listed**



[www.freezerlink.com](http://www.freezerlink.com)



## Industrial Freezer Sales



A division of IDS

5311 Derry Avenue Building D Agoura Hills CA 91301


Phone (818) 597-4300 Fax (818) 597-4301

www.freezerlink.com

### LTF1S22-40 Low Temp Freezer -40°C 22 Cubic Feet



FRONT



SIDE

#### Specifications

Interior Height	59"
Interior Width	23-1/2"
Interior Depth	30"
Overall Height	81-1/2"
Overall Width	27-1/2"
Overall Depth	35-3/4"
Cubic Feet	22
Shelf Area (sq. ft.)	18.3
Number of Shelves	3
Number of Casters	4
Condensing Unit Size	1 HP
Refrigerant	R-404A
Electrical Characteristics	115/60/1
Maximum Fuse Size	20 Amps
Total Amp Draw /0	12.6
Crated Height	84-7/8"
Crated Width	37"
Crated Depth	41" (104)
Crated Weight (lbs)	485



## Industrial Freezer Sales

A division of IDS

5311 Derry Avenue Building D Agoura Hills CA 91301

Phone (818) 597-4300 Fax (818) 597-4301

[www.freezerlink.com](http://www.freezerlink.com)

### **LTF1S22-40 Low Temp Freezer -40° C 22 Cubic Feet Single Solid Door**

#### **Options:**

Legs in lieu of casters

Stainless steel drawer (max. 8 per door)

Wire basket drawer (max. 6 per door)

Extra shelf with clips

Stainless steel exterior

Stainless steel interior

4-20ma

Chart recorder with chart paper

Hi / Lo alarm, remote contacts, 4-20ma

Sensor access port 1" diameter

Export Crating

As always, the best source of information for Industrial, Scientific and Medical Freezers and Refrigerators, equipment and practical, cost effective solutions is our 100 page website; [www.freezerlink.com](http://www.freezerlink.com)

Industrial Freezer Sales

5311 Derry Ave.

Building D

Agoura Hills CA 91301

Phone (818) 597-4300

Fax (818) 597-4301

Website: [www.freezerlink.com](http://www.freezerlink.com)

Email: [service@freezerlink.com](mailto:service@freezerlink.com)